

## **Clinical Policy: Fulvestrant (Faslodex Injection)**

Reference Number: CP.PHAR.424

Effective Date: 05.14.19 Last Review Date: 08.22

Line of Business: Commercial, HIM, Medicaid

Coding Implications
Revision Log

## See <u>Important Reminder</u> at the end of this policy for important regulatory and legal information.

## **Description**

Fulvestrant (Faslodex® Injection) is an estrogen receptor antagonist.

## FDA Approved Indication(s)

Faslodex is indicated for the treatment of:

## Monotherapy

- Hormone receptor (HR)-positive, human epidermal growth factor receptor 2 (HER2)-negative advanced breast cancer in postmenopausal women not previously treated with endocrine therapy.
- HR-positive advanced breast cancer in postmenopausal women with disease progression following endocrine therapy.

### Combination Therapy

- HR-positive, HER2-negative advanced or metastatic breast cancer in postmenopausal women in combination with ribociclib, as initial endocrine based therapy or following disease progression on endocrine therapy.
- HR-positive, HER2-negative advanced or metastatic breast cancer in combination with palbociclib or abemaciclib in women with disease progression after endocrine therapy.

#### Policy/Criteria

Provider must submit documentation (such as office chart notes, lab results or other clinical information) supporting that member has met all approval criteria.

It is the policy of health plans affiliated with Centene Corporation® that Faslodex Injection is **medically necessary** when the following criteria are met:

#### I. Initial Approval Criteria

#### A. Breast Cancer (must meet all):

- Diagnosis of advanced breast cancer (i.e., recurrent, stage III, or stage IV [metastatic]);
- 2. Prescribed by or in consultation with an oncologist;
- 3. Age  $\geq$  18 years;
- 4. Disease is HR-positive (i.e., estrogen or progesterone receptor [ER/PR]-positive);
- 5. Request meets one of the following (a or b):\*
  - a. Dose does not exceed 500 mg three times for the first month then once monthly;
  - b. Dose is supported by practice guidelines or peer-reviewed literature for the relevant off-label use (*prescriber must submit supporting evidence*).

<sup>\*</sup>Prescribed regimen must be FDA-approved or recommended by NCCN



## **Approval duration:**

**Medicaid/HIM** – 6 months

Commercial – 6 months or to the member's renewal date, whichever is longer

#### B. Ovarian, Fallopian Tube, and Primary Peritoneal Cancer (off-label) (must meet all):

- 1. Diagnosis of ovarian, fallopian tube, or primary peritoneal cancer;
- 2. Prescribed by or in consultation with an oncologist;
- 3. Disease is classified as low-grade serous carcinoma;
- 4. Dose is within FDA maximum limit for any FDA-approved indication or is supported by practice guidelines or peer-reviewed literature for the relevant off-label use (prescriber must submit supporting evidence).\*

\*Prescribed regimen must be FDA-approved or recommended by NCCN

### **Approval duration:**

**Medicaid/HIM** – 6 months

Commercial – 6 months or to the member's renewal date, whichever is longer

## C. Endometrial Carcinoma (off-label) (must meet all):

- 1. Diagnosis of endometrial carcinoma;
- 2. Prescribed by or in consultation with an oncologist;
- 3. Disease is classified as grade 1 or 2 endometrioid carcinoma;
- 4. Faslodex is prescribed in one of the following ways (a, b, c, or d):
  - a. For recurrent or metastatic disease;
  - b. For stage II disease, in combination with sequential external beam radiation therapy;
  - c. For stage IIIA or higher disease;
  - d. For disease not suitable for primary surgery;
- 5. Dose is within FDA maximum limit for any FDA-approved indication or is supported by practice guidelines or peer-reviewed literature for the relevant off-label use (prescriber must submit supporting evidence).\*

\*Prescribed regimen must be FDA-approved or recommended by NCCN

#### **Approval duration:**

**Medicaid/HIM** – 6 months

Commercial – 6 months or to the member's renewal date, whichever is longer

#### D. Uterine Sarcoma (off-label) (must meet all):

- 1. Diagnosis of uterine sarcoma;
- 2. Prescribed by or in consultation with an oncologist;
- 3. Disease is classified in one of the following ways (a, b, or c):
  - a. Low-grade endometrial stromal sarcoma;
  - b. Adenosarcoma without sarcomatous overgrowth;
  - c. HR-positive (i.e., ER/PR-positive) uterine leiomyosarcoma;
- 4. Faslodex is prescribed in one of the following ways (a, b, c, or d):
  - a. Following total hysterectomy;
  - b. For vaginal or pelvic recurrence;
  - c. For metastatic disease;
  - d. For disease not suitable for primary surgery;



5. Dose is within FDA maximum limit for any FDA-approved indication or is supported by practice guidelines or peer-reviewed literature for the relevant off-label use (prescriber must submit supporting evidence).\*

\*Prescribed regimen must be FDA-approved or recommended by NCCN

## **Approval duration:**

**Medicaid/HIM** – 6 months

Commercial – 6 months or to the member's renewal date, whichever is longer

#### **E. Other diagnoses/indications** (must meet 1 or 2):

- 1. If this drug has recently (within the last 6 months) undergone a label change (e.g., newly approved indication, age expansion, new dosing regimen) that is not yet reflected in this policy, refer to one of the following policies (a or b):
  - a. For drugs on the formulary (commercial, health insurance marketplace) or PDL (Medicaid), the no coverage criteria policy for the relevant line of business:
     CP.CPA.190 for commercial, HIM.PA.33 for health insurance marketplace, and CP.PMN.255 for Medicaid; or
  - b. For drugs NOT on the formulary (commercial, health insurance marketplace) or PDL (Medicaid), the non-formulary policy for the relevant line of business: CP.CPA.190 for commercial, HIM.PA.103 for health insurance marketplace, and CP.PMN.16 for Medicaid; or
- 2. If the requested use (e.g., diagnosis, age, dosing regimen) is NOT specifically listed under section III (Diagnoses/Indications for which coverage is NOT authorized) AND criterion 1 above does not apply, refer to the off-label use policy for the relevant line of business: CP.CPA.09 for commercial, HIM.PA.154 for health insurance marketplace, and CP.PMN.53 for Medicaid.

#### **II. Continued Therapy**

#### A. All Indications in Section I (must meet all):

- 1. Currently receiving medication via Centene benefit, or documentation supports that member is currently receiving Faslodex for a covered indication and has received this medication for at least 30 days;
- 2. Member is responding positively to therapy;
- 3. If request is for a dose increase, request meets one of the following (a or b):\*
  - a. New dose does not exceed 500 mg once monthly;
  - b. New dose is supported by practice guidelines or peer-reviewed literature for the relevant off-label use (*prescriber must submit supporting evidence*).

\*Prescribed regimen must be FDA-approved or recommended by NCCN

#### **Approval duration:**

**Medicaid/HIM** – 12 months

**Commercial** – 6 months or to the member's renewal date, whichever is longer

### **B.** Other diagnoses/indications (must meet 1 or 2):

- 1. If this drug has recently (within the last 6 months) undergone a label change (e.g., newly approved indication, age expansion, new dosing regimen) that is not yet reflected in this policy, refer to one of the following policies (a or b):
  - a. For drugs on the formulary (commercial, health insurance marketplace) or PDL (Medicaid), the no coverage criteria policy for the relevant line of business:



- CP.CPA.190 for commercial, HIM.PA.33 for health insurance marketplace, and CP.PMN.255 for Medicaid; or
- b. For drugs NOT on the formulary (commercial, health insurance marketplace) or PDL (Medicaid), the non-formulary policy for the relevant line of business: CP.CPA.190 for commercial, HIM.PA.103 for health insurance marketplace, and CP.PMN.16 for Medicaid: or
- 2. If the requested use (e.g., diagnosis, age, dosing regimen) is NOT specifically listed under section III (Diagnoses/Indications for which coverage is NOT authorized) AND criterion 1 above does not apply, refer to the off-label use policy for the relevant line of business: CP.CPA.09 for commercial, HIM.PA.154 for health insurance marketplace, and CP.PMN.53 for Medicaid.

### III. Diagnoses/Indications for which coverage is NOT authorized:

**A.** Non-FDA approved indications, which are not addressed in this policy, unless there is sufficient documentation of efficacy and safety according to the off label use policies – CP.CPA.09 for commercial, HIM.PA.154 for health insurance marketplace, and CP.PMN.53 for Medicaid or evidence of coverage documents.

## IV. Appendices/General Information

Appendix A: Abbreviation/Acronym Key

ER: estrogen receptor

FDA: Food and Drug Administration HER2: human epidermal growth factor

receptor 2

HR: hormone receptor

LHRH: luteinizing hormone-releasing

hormone

NCCN: National Comprehensive Cancer

Network

PR: progesterone receptor

Appendix B: Therapeutic Alternatives Not applicable

Appendix C: Contraindications/Boxed Warnings

• Contraindication(s): hypersensitivity

• Boxed warning(s): none reported

#### V. Dosage and Administration

| Indication  | Dosing Regimen  | Maximum<br>Dose  |
|---|---|--|
| <ul> <li>Monotherapy</li> <li>HR-positive, HER2- negative advanced breast cancer in postmenopausal women not previously treated with endocrine therapy.</li> <li>HR-positive advanced breast cancer in</li> </ul> | <u>Faslodex</u> : 500 mg IM into buttocks (gluteal area) slowly (1 - 2 minutes per injection) as two 5 mL injections, one in each buttock, on Days 1, 15, 29 and once monthly thereafter. | Faslodex: 500 mg three times for first month then once monthly |



| Indication  | Dosing Regimen   | Maximum<br>Dose         |
|---|--|-------------------------|
| postmenopausal women with disease progression following endocrine therapy.  Combination Therapy  HR-positive, HER2- negative advanced or metastatic breast cancer in postmenopausal women in combination with ribociclib, as initial endocrine based therapy or following disease progression on endocrine therapy.  HR-positive, HER2- | Faslodex: 500 mg IM into buttocks (gluteal area) slowly (1 - 2 minutes per injection) as two 5 mL injections, one in each buttock, on Days 1, 15, 29 and once monthly thereafter.  Ribociclib: 600 mg PO QD for 21 consecutive days followed by 7 days off treatment resulting in a complete cycle of 28 days.  Palbociclib: 125 mg PO QD for 21 consecutive days followed by 7 days off treatment to comprise a complete cycle of |                         |
| HR-positive, HER2-<br>negative advanced or<br>metastatic breast cancer<br>in combination with<br>palbociclib or<br>abemaciclib in women<br>with disease<br>progression after<br>endocrine therapy.  | 28 days.  Abemaciclib: 150 mg PO BID.  Pre/perimenopausal women treated with the combination of Faslodex plus palbociclib, abemaciclib, or ribociclib, should be treated with luteinizing hormone-releasing hormone (LHRH) agonists according to current clinical practice standards.  | Abemaciclib: 300 mg/day |

#### VI. Product Availability

Two 5 mL glass barrels (syringes), each containing 250 mg/5 mL of Faslodex solution for IM injection. The syringes are presented in a tray with polystyrene plunger rod and safety needles (SafetyGlide<sup>TM</sup>) for connection to the barrel.

#### VII. References

- 1. Faslodex Prescribing Information. Wilmington, DE: AstraZeneca; January 2021. Available at: https://www.accessdata.fda.gov/drugsatfda\_docs/label/2021/021344s044lbl.pdf. Accessed April 8, 2022.
- 2. National Comprehensive Cancer Network Drugs and Biologics Compendium. Available at: http://www.nccn.org/professionals/drug\_compendium. Accessed April 11, 2022.
- 3. National Comprehensive Cancer Network. Breast Cancer Version 2.2022. Available at: https://www.nccn.org/professionals/physician\_gls/pdf/breast.pdf. Accessed April 8, 2022.
- 4. National Comprehensive Cancer Network. Ovarian Cancer Version 1.2022. Available at: https://www.nccn.org/professionals/physician\_gls/pdf/ovarian.pdf. Accessed April 8, 2022.
- 5. National Comprehensive Cancer Network. Uterine Neoplasms Version 1.2022. Available at: https://www.nccn.org/professionals/physician\_gls/pdf/uterine.pdf. Accessed April 8, 2022.



6. Clinical Pharmacology [database online]. Tampa, FL: Gold Standard, Inc.; 2021. Available at: http://www.clinicalpharmacology-ip.com/. Accessed April 8, 2022.

## **Coding Implications**

Codes referenced in this clinical policy are for informational purposes only. Inclusion or exclusion of any codes does not guarantee coverage. Providers should reference the most up-to-date sources of professional coding guidance prior to the submission of claims for reimbursement of covered services.

| HCPCS | Description   |
|-------|---|
| Codes |   |
| J9393 | Injection, fulvestrant (teva) not therapeutically equivalent to J9395, 25 mg        |
| J9394 | Injection, fulvestrant (fresenius kabi) not therapeutically equivalent to J9395, 25 |
|       | mg  |
| J9395 | Injection, fulvestrant, 25 mg   |

| Reviews, Revisions, and Approvals                                     |          | P&T      |
|---|----------|----------|
|   |          | Approval |
|   |          | Date     |
| Policy created.   | 05.14.19 | 08.19    |
| 3Q 2020 annual review: for endometrial carcinoma, added option for    | 04.30.20 | 08.20    |
| use in stage II disease, in combination with sequential external beam |          |          |
| radiation therapy; references reviewed and updated.                   |          |          |
| 3Q 2021 annual review: no significant changes; updated reference for  | 05.06.21 | 08.21    |
| HIM off-label use to HIM.PA.154 (replaces HIM.PHAR.21);               |          |          |
| references reviewed and updated.                                      |          |          |
| 3Q 2022 annual review: no significant changes; added                  | 04.08.22 | 08.22    |
| "adenosarcoma without sarcomatous overgrowth" to disease              |          |          |
| classification for the indication of uterine sarcoma per NCCN         |          |          |
| guideline (2A category); continued approval duration for commercial   |          |          |
| line of business changed from 12 months to 6 months or to the         |          |          |
| member's renewal date, whichever is longer; references reviewed       |          |          |
| and updated.  |          |          |
| Template changes applied to other diagnoses/indications.              |          |          |
| Added HPCPS codes [J9394, J9393].                                     |          |          |

#### **Important Reminder**

This clinical policy has been developed by appropriately experienced and licensed health care professionals based on a review and consideration of currently available generally accepted standards of medical practice; peer-reviewed medical literature; government agency/program approval status; evidence-based guidelines and positions of leading national health professional organizations; views of physicians practicing in relevant clinical areas affected by this clinical policy; and other available clinical information. The Health Plan makes no representations and accepts no liability with respect to the content of any external information used or relied upon in developing this clinical policy. This clinical policy is consistent with standards of medical practice current at the time that this clinical policy was approved. "Health Plan" means a health



plan that has adopted this clinical policy and that is operated or administered, in whole or in part, by Centene Management Company, LLC, or any of such health plan's affiliates, as applicable.

The purpose of this clinical policy is to provide a guide to medical necessity, which is a component of the guidelines used to assist in making coverage decisions and administering benefits. It does not constitute a contract or guarantee regarding payment or results. Coverage decisions and the administration of benefits are subject to all terms, conditions, exclusions and limitations of the coverage documents (e.g., evidence of coverage, certificate of coverage, policy, contract of insurance, etc.), as well as to state and federal requirements and applicable Health Plan-level administrative policies and procedures.

This clinical policy is effective as of the date determined by the Health Plan. The date of posting may not be the effective date of this clinical policy. This clinical policy may be subject to applicable legal and regulatory requirements relating to provider notification. If there is a discrepancy between the effective date of this clinical policy and any applicable legal or regulatory requirement, the requirements of law and regulation shall govern. The Health Plan retains the right to change, amend or withdraw this clinical policy, and additional clinical policies may be developed and adopted as needed, at any time.

This clinical policy does not constitute medical advice, medical treatment or medical care. It is not intended to dictate to providers how to practice medicine. Providers are expected to exercise professional medical judgment in providing the most appropriate care, and are solely responsible for the medical advice and treatment of members. This clinical policy is not intended to recommend treatment for members. Members should consult with their treating physician in connection with diagnosis and treatment decisions.

Providers referred to in this clinical policy are independent contractors who exercise independent judgment and over whom the Health Plan has no control or right of control. Providers are not agents or employees of the Health Plan.

This clinical policy is the property of the Health Plan. Unauthorized copying, use, and distribution of this clinical policy or any information contained herein are strictly prohibited. Providers, members and their representatives are bound to the terms and conditions expressed herein through the terms of their contracts. Where no such contract exists, providers, members and their representatives agree to be bound by such terms and conditions by providing services to members and/or submitting claims for payment for such services.

#### Note:

**For Medicaid members**, when state Medicaid coverage provisions conflict with the coverage provisions in this clinical policy, state Medicaid coverage provisions take precedence. Please refer to the state Medicaid manual for any coverage provisions pertaining to this clinical policy.

©2019 Centene Corporation. All rights reserved. All materials are exclusively owned by Centene Corporation and are protected by United States copyright law and international copyright law. No part of this publication may be reproduced, copied, modified, distributed, displayed, stored in a retrieval system, transmitted in any form or by any means, or otherwise



published without the prior written permission of Centene Corporation. You may not alter or remove any trademark, copyright or other notice contained herein. Centene<sup>®</sup> and Centene Corporation<sup>®</sup> are registered trademarks exclusively owned by Centene Corporation.